

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/693,534	10/25/2003	Nick E. Ciavarella	GOJ 03030	2298
26360	7590 08/25/2005		EXAMINER	
RENNER, KENNER, GREIVE, BOBAK, TAYLOR & WEBER FIRST NATIONAL TOWER FOURTH FLOOR 106 S. MAIN STREET			· CARTAGENA, MELVIN A	
			ART UNIT	PAPER NUMBER
AKRON, OH	44308		3754	

DATE MAILED: 08/25/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No. Applicant(s)				
Office Action Commence	10/693,534	CIAVARELLA ET AL.			
Office Action Summary	Examiner	Art Unit			
	Melvin A. Cartagena	3754			
The MAILING DATE of this communication app Period for Reply	ears on the cover sheet with the c	orrespondence address			
A SHORTENED STATUTORY PERIOD FOR REPLY THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a reply - If NO period for reply is specified above, the maximum statutory period w - Failure to reply within the set or extended period for reply will, by statute, Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	36(a). In no event, however, may a reply be time within the statutory minimum of thirty (30) days fill apply and will expire SIX (6) MONTHS from cause the application to become ABANDONE	nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on	_·				
2a) ☐ This action is FINAL . 2b) ☑ This	action is non-final.				
Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
 4) Claim(s) 1-14 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed. 6) Claim(s) 1.3 and 6-14 is/are rejected. 7) Claim(s) 2.4.5 and 8 is/are objected to. 8) Claim(s) are subject to restriction and/o 	vn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on 25 October 2003 is/are: Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the Ex	a) accepted or b) objected drawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received.					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) Paper No(s)/Mail Date 1122004	4) Interview Summary Paper No(s)/Mail Do 5) Notice of Informal P 6) Other:				

Application/Control Number: 10/693,534 Page 2

Art Unit: 3754

DETAILED ACTION

Drawings

The drawings are objected to as failing to comply with 37 CFR 1.84(p)(5) because they do not include the following reference sign(s) mentioned in the description: 16, 17 and K.

Corrected drawing sheets in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. Any amended replacement drawing sheet should include all of the figures appearing on the immediate prior version of the sheet, even if only one figure is being amended. Each drawing sheet submitted after the filing date of an application must be labeled in the top margin as either "Replacement Sheet" or "New Sheet" pursuant to 37 CFR 1.121(d). If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Claim Objections

2. Claim 8 is objected to because of the following informalities: Claim 8 recites the limitation "said top flange" in line 1. There is insufficient antecedent basis for this limitation in the claim. Appropriate correction is required.

Claim Rejections - 35 USC § 102

3. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

4. Claims 1, 3 and 6-14 rejected under 35 U.S.C. 102(e) as being anticipated by US 6,607,103 to Gerenraich et al.

Gerenraich shows a dispenser as seen in Figs. 5 and 6, having a clip seen in Fig. 6 used in connection with a soap container 22 and having a key-plate 44, a semicircular hollow body 88, a flange 80 extending radialy outward, a tab 126 extending rearward and vertical ribs as seen in Fig. 10, a rim extending downwardly as seen in Figs 7 and 8, a locating notch 82, holding elements 84 and 92.

Allowable Subject Matter

5. Claims 2 and 4-5 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Conclusion

6. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Studer shows a device for dispensing soap. Verherbrugghen shows a system for fitting a container.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Melvin A. Cartagena whose telephone number is (571) 272-4924. The examiner can normally be reached on M-F (7:30AM to 4:00 PM).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Y. Mar can be reached on (571) 272-4906. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

8/16/05 **MAC**

Frederick L. Niwlas

Frederick L. Niwlas

Primary EXAMINER

ARt. UNIT 3754